P/N: DceL DT

DceL DT

Carbon Monoxide/Hydrogen Sulphide dual toxic sensor (CO/H2S)

**Introduction** The DceL DT is a low profile dual toxic sensor, ideal for multi-gas portable gas detectors.

Key Features: high stability, fast response and recovery, low H<sub>2</sub>S cross sensitivity on CO electrode


<b>Performance Characteristics</b>	CO Channel	H2S Channel
Output signal	40-70nA/ppm 200-400nA/ppm	
Typical Baseline Range (pure air)	±3 ppm CO equivalent	± 1 ppm H <sub>2</sub> S equivalent
Filter Capacity	> 15,000 ppm hours	-
T90 Response Time	< 30 seconds	< 30 seconds
Measurement Range	0 - 1000 ppm	0 - 100 ppm
Maximum Overload	2000 ppm	400 ppm
Linearity	Linear	Linear
Repeatability	< ±3% CO equivalent	< ±2% H <sub>2</sub> S equivalent
Recommended Load Resistor	10 ohms	10 ohms
Resolution (Electronics dependent)	±1 ppm CO typical	±0.5 ppm H <sub>2</sub> S typical

Environmental Details		
Temperature Range Continuous	-30°C to +50°C	
Pressure Range	800 to 1200 mbar	
Operating Humidity Range	15% to 90% RH	

Important Note:

All performance data is based on conditions at 20°C, 50%RH and 1 atm, using DD Scientific recommended circuitry.

Sensor performance is temperature dependent, and please contact DD Scientific for temperature performance other than 20°C.



ALL TOLERANCES UNLESS STATED: ±0.15mm


Product Dimensions
All dimensions in mm
All tolerances ±0.15 mm



Product Data Sheet P/N : DceL DT DceL DT

Lifetime Details		
Long Term Output Drift	< 10% per annum	
Recommended Storage Temp	0°C to 20°C	
Expected Operating Life	> 24 months in air	
Standard Warranty	24 months from date of dispatch	

Cross - Sensitivity Data			
GAS	CONC.	CO Channel	H <sub>2</sub> S Channel
Hydrogen Sulphide	25 ppm	< 5 ppm	25 ppm
Sulphur dioxide	5 ppm	0 ppm	< 1 ppm
Hydrogen	100 ppm	<30 ppm	< 0.05 ppm
Nitric Oxide	35 ppm	< 0.1ppm	< 1 ppm
Carbon Monoxide	300 ppm	300 ppm	< 6 ppm
Nitrogen Dioxide	5 ppm	< 0.1 ppm	0 ppm
Chlorine	15 ppm	0 ppm	0 ppm



## Poisoning

DD Scientific sensors are designed to operate in a wide range of harsh environments and conditions. However, it is important that exposure to high concentrations of solvent vapors is avoided, both during storage, fitting into instrument and operation.

When using sensors on printed circuit boards (PCB's), degreasing agents should be used prior to the sensor being fitted.

Please note gluing or soldering direct to the pins of DD Scientific Ltd gas sensors will void warranty, please use PCB sockets when

Intrinsic Safety Data			
Maximum at 2000 ppm	0.3 mA		
Maximum o/c Voltage	1.3 V		
Maximum s/c Current	<1.0 A		

WARNING: By the nature of the technology used, any electrochemical gas sensor offered by DD Scientific can potentially fail to meet specification without warning. Although DD Scientific Ltd makes every effort to ensure the reliability of our products of this type, where life safety is a performance requirement of the product, we recommend that all sensors and instruments using these sensors are checked for response to gas before use.

Every effort has been made to ensure the accuracy of this document at the time of printing. In accordance with the company's policy of continued product improvement

DD ŚCIENTIFIC Limited reserves the right to make product changes without notice. No liability is accepted for any consequential losses, injury or damage resulting from the use of this document or from any omissions or errors herein. The data is given for guidance only. It does not constitute a specification or an offer for sale. The products are always subject to a program of improvement and testing which in my result in some changes in the characteristics quoted. As the products may be used by the client in circumstances beyond the knowledge and control of DD SCIENTIFIC limited, we cannot give any warrant as to the relevance of the seesangle to the performance of a characteristics quoted. As the products and to ensure their safety of operation in a particular application, Performance of an application on this data sheet outline the performance of which application is a particular application. Performance of the products and to ensure their safety of operation in a particular application.



Issue 2 03/2023 Website: www.ddscientific.com Email: info@ddscientific.com